

## EVT--TFT LCD MODULE LIST (2020-2021)

NO.	MODULE	PANEL SIZE	RESOLUTION	OUTLINE (mm)	A. A (L*W)	LCD MODE	IC	INTERFACE	FPC	BACKLIGHT
1	T013AIN24P01	1.3	240*240	29.2*26.0*1.4	23.4*23.4	IPS, 65K, NORMALLY WHITE	ST7789V	PARALLEL	24PIN, Right out, plug	250CD/M2
2	T013BIW12S02	1.3	240*240	29.2*26.2*1.45	23.4*23.4	IPS, 65K, NORMALLY WHITE	ST7789V	SPI	12PIN, L=13.1mm, Welding	250CD/M2
3	T013BIW24P02C	1.3	240*240	29.3*26.3*1.9	23.4*23.4	IPS, 65K, NORMALLY WHITE	ST7789V	PARALLEL	24PIN, L=22.2mm, Plug	400CD/M2
4	T013CIN24S01R	1.3	240*240	38.2*35.5*1.44	23.4*23.4	IPS, 65K, NORMALLY WHITE	ST7789V	PARALLEL	24PIN, L=21.85mm, Plug	圓形屏 (ROUND)
5	T014BTN15S01	1.44	128*128	29.5*36.5*2.5	26.5*25.5	TN, 65K, NORMALLY WHITE	ST7789V	SPI	15PIN, L=7.0mm, Welding	280CD/M2
6	T0154AIW22P01	1.54	240*240	33.72*31.52*1.98	27.72*27.72	IPS, 65K, NORMALLY WHITE	GC9307	PARALLEL	22PIN, L=25mm	300CD/M2
7	T0154AIW22P03	1.54	240*240	33.72*31.52*1.98	27.72*27.72	IPS, 65K, NORMALLY WHITE	ST7789V	PARALLEL	22PIN, L=25mm	300CD/M2
8	T0154BIW12S01	1.54	240*240	33.1*30.5*1.78	27.72*27.72	IPS, 65K, NORMALLY WHITE	ST7789V	SPI	12PIN, L=17.27mm, Welding	300CD/M2
9	T020AIW40SR02	2.0	320*240	40.96*46.1*2.53	40.8*30.6	IPS, 65K, NORMALLY WHITE	ILI9342	SPI	40PIN, L=21.64mm	300CD/M2
10	T0236ATN40SR01	2.36	480*234	55.2*47.5*2.9	48*35.69	TN, 65K, NORMALLY WHITE	0TA5182	SPI	40PIN, L=25.69mm	250CD/M2
11	T0236BTW36P01	2.3	240*320	45.8*50.8*2.35	35.6*46.75	TN, 65K, NORMALLY WHITE	ILI9342C	PARALLEL	36PIN, L=13.6mm, Welding	350CD/M2
12	T024ATW37P01	2.4	240*320	42.72*60.26*2.3	36.72*48.96	TN, 65K, NORMALLY WHITE	ST7789V	PARALLEL	37PIN, L=30.4mm, Welding	300CD/M2
13	T024FIW20S01	2.4	240*320	42.72*59.2*2.2	36.72*48.96	IPS, 65K, NORMALLY WHITE	ST7789V	SPI	20PIN, L=29.2mm, Left out	300CD/M2
14	T028ATW18S01	2.8	240*320	50*69.2*2.4	43.2*57.6	TN, 65K, NORMALLY WHITE	ST7789V	SPI	18PIN, L=29mm	250CD/M2
15	T028BTW24M01	2.8	240*320	50*69.2*2.4	43.2*57.6	TN, 65K, NORMALLY WHITE	ILI9341V	MCU	24PIN	250CD/M2
16	T028CTWR37P01	2.8	240*320	50*69.2*3.5	43.2*57.6	TN+RTP, 65K, NORMALLY WHITE	ST7789V	PARALLEL	37PIN, L=29.5mm, Welding	180CD/M2
17	T028DIW40P01	2.8	240*320	50*69.2*2.4	43.2*57.6	IPS, 262K, NORMALLY WHITE	ST7789V	RGB	40PIN, L=24.4mm	250CD/M2
18	T028DIW40P02	2.8	240*320	50*69.2*2.4	43.2*57.6	IPS, 262K, NORMALLY WHITE	ST7789V	RGB	40PIN, L=29.3mm	300CD/M2
19	T028FIW40M01	2.8	240*320	50*69.2*2.4	43.2*57.6	IPS, 262K, NORMALLY WHITE	ILI9341	RGB	40PIN, L=24.4mm	300CD/M2
20	T0316AIW12MP01	3.16	820*320	71.6*31.2*2.4	65.65*26.4	IPS, 16.7M, NORMALLY BLACK	ST7701S	MIPI	12PIN, L=40mm	500CD/M2
21	T032AIW44M01	3.2	240*400	47.8*80.7*2.5	41.76*60.96	IPS, 65K, NORMALLY WHITE	ILI9327	MCU	44PIN, L=13.5mm, Welding	450CD/M2
22	T032BTWR40M01	3.2	240*320	55*77.7*3.6	48.6*64.8	TN+RTP, 262K, NORMALLY WHITE	ILI9341V	MCU	40PIN, L=32.4	280CD/M2
23	T035AIW54R01	3.5	320*240	76.84*63.84*3.18	70.08*52.56	IPS, 16.7M, NORMALLY WHITE	ST7789V	RGB	54PIN, L=55.6mm	350CD/M2
24	T035AIWC54R02	3.5	320*240	76.84*63.84*4.3	70.08*52.56	IPS+CTP, 16.7M, NORMALLY WHITE	ST7789V	RGB	54PIN, L=55.6mm	350CD/M2

25	T035FIW54R01	3.5	640*480	76.84*63.84*3.18	70.08*52.56	IPS, 16.7M, NORMALLY WHITE		RGB	54PIN, L=55.6mm	350CD/M2
26	T035FIW45M01	3.5	320*480	54.5*8*2.34	48.96*73.44	IPS, 262K, NORMALLY BLACK	IL19488	MCU	45PIN, L=24.6, Right out	300CD/M2
27	T035GIW51R01	3.5	480*800	51.3*86.6*2.05	45.36*75.6	IPS, 16.7M, NORMALLY BLACK	ST7701S	SPI+RGB	51PIN, L=22.8, Left out	250CD/M2
28	T043ATWC40R01	4.3	480*272	105.42*67.08*5.2	95.04*53.86	TN+CTP, 16.7M, NORMALLY WHITE	ST7282	RGB	40PIN, L=46.1mm	280CD/M2
29	T043CIWC40R04	4.3	480*272	105.42*67.08*4.0	95.04*53.86	IPS, 16.7M, NORMALLY WHITE	SC7283	RGB	40PIN, L=46.1mm	1000CD/M2
30	T043CIWC40R04NC	4.3	480*272	105.42*67.08*5.2	95.04*53.86	IPS+CTP, 16.7M, NORMALLY WHITE	SC7283	RGB	40PIN, L=46.1mm	1000CD/M2
31	T043CIWC40R05NC	4.3	480*272	105.42*67.08*5.2	95.04*53.86	IPS+CTP, 16.7M, NORMALLY WHITE	SC7283	RGB	40PIN, L=46.1mm	280CD/M2
32	T043ETWC40R02	4.3	800*480	105.5*67.2*6.6	95.04*53.86	TN+CTP, 16.7M, NORMALLY WHITE	ST7282	RGB	40PIN, L=45.8mm	280CD/M2
33	T043EIW40R03	4.3	800*480	105.5*67.2*5.6	95.04*53.86	IPS, 16.7M, NORMALLY WHITE	SC7283	RGB	40PIN	350CD/M2
34	T043FIW40R01	4.3	480*272	105.42*67.08*4.0	95.04*53.86	IPS, 16.7M, NORMALLY WHITE	ST7282	RGB	40PIN, L=48.2mm	600CD/M2
35	T050BIW24MP01	5	480X854	65.3*120.05*2.3	61.56*109.53	IPS, 16.7M, NORMALLY BLACK		MIPI	24PIN, L=90.2mm	280CD/M2
36	T050EIW40R02	5	800*480	120.7*75.8*3.0	108*64.8	IPS, 16.7M, NORMALLY BLACK		RGB	40PIN, L=49.0mm	580CD/M2
37	T050EIWC40R01	5	800*480	120.7*75.8*4.3	108*64.8	IPS+CTP, 16.7M, NORMALLY WHITE		RGB	40PIN, L=49.0mm	580CD/M2
38	T050FIW24MP01	5	720*1280	65.3*119.3*2.15	62.1*110.4	IPS, 16.7M, NORMALLY WHITE		MIPI	24PIN, L=99.8mm	280CD/M2
39	T050GIW25MP02	5	720*1280	65.3*119.3*2.15	62.1*110.4	IPS, 16.7M, NORMALLY WHITE		MIPI	25PIN, L=75.4, Right out	500CD/M2
40	T070ATW40L01	7	1024*600	164.9*100*3.5	154.21*85.92	TN, 16.7M, NORMALLY WHITE		LVDS	40PIN, L=48.2mm	250CD/M2
41	T070AIW40L01	7	1024*600	164.9*100*3.5	154.21*85.92	IPS, 16.7M, NORMALLY WHITE		LVDS	40PIN, L=48.2mm	250CD/M2
42	T070BTW50R01	7	1024*600	164.9*100*3.5	154.21*85.92	TN, 16.7M, NORMALLY WHITE		RGB	50PIN, L=66mm	360CD/M2
43	T070CTW50R03	7	800*480	164.9*100*3.5	154.08*85.92	TN, 16.7M, NORMALLY WHITE		RGB	50PIN, L=45.6mm	220CD/M2
44	T070CTW50R01	7	800*480	164.9*100*3.5	154.08*85.92	TN, 16.7M, NORMALLY WHITE		RGB	50PIN, L=45.6mm	800CD/M2
45	T070CTW50R05	7	800*480	164.9*100*3.5	154.08*85.92	TN, 16.7M, NORMALLY WHITE		RGB	50PIN, L=45.6mm	500CD/M2
46	T070CTWC50R05	7	800*480	164.9*100*4.6	154.08*85.92	TN+CTP, 16.7M, NORMALLY WHITE		RGB	50PIN, L=45.6mm	500CD/M2
47	T070CTWR50R05	7	800*480	164.9*100*4.6	154.08*85.92	TN+RTP, 16.7M, NORMALLY WHITE		RGB	50PIN, L=45.6mm	500CD/M2
48	T070EIW50R01	7	1024*600	164.9*100*2.8	154.21*85.92	BOE IPS, 16.7M, NORMALLY BLACK		RGB	50PIN, L=48mm	400CD/M2
49	T070EIW50R02	7	1024*600	164.9*100*5.7	154.21*85.92	HSD IPS, 16.7M, NORMALLY BLACK		RGB	50PIN, L=48mm	400CD/M2
50	T070EIWC50R02	7	1024*600	164.9*100*7.0	154.21*85.92	SD IPS+CTP, 16.7M, NORMALLY BLACK		RGB	50PIN, L=48mm	400CD/M2
51	T070EIN50R03	7	1024*600	164.9*100*3.5	154.21*85.92	IPS, 16.7M, NORMALLY WHITE		RGB	50PIN, L=48mm	300CD/M2

52	T070GTWC50R01	7	800*480	164.9*100*5.0	154.08*85.92	TN+CTP, 16.7M, NORMALLY WHITE	RGB	50PIN, L=78.3mm	200CD/M2
53	T080ATW50R01	8	800*600	183.0*141*5.6	162.0*121.5	TN, 16.7M, NORMALLY WHITE	RGB	50PIN, L=80mm	250CD/M2
54	T080BIN40L01	8	1024*768	171.12*132.62*1.07	162.05*121.54	IPS, 16.7M, NORMALLY BLACK	LVDS	40PIN, L=45.6mm	350CD/M2
55	T101CIN40L01	10.1	800*1280	143*228.6*2.6	135.36*216.58	IPS, 16.7M, NORMALLY WHITE	LVDS	40PIN, L=43.5mm	300CD/M2
56	T101DIW40L01	10.1	1280*800	221.96*144.43*2.6	216.96*135.6	IPS, 16.7M, NORMALLY WHITE	LVDS		220CD/M2
57	T101EIN50R02	10.1	1024*600	235.0*143.0*4.5	222.72X125.28	IPS, 16.7M, NORMALLY WHITE	RGB	50PIN, L=51.5mm	370CD/M2
58	T101EIW40L01	10.1	1024*600	235.0*143.0*5.2	222.72X125.28	IPS, 16.7M, NORMALLY WHITE	LVDS	40PIN, L=55.0mm	500CD/M2
59	T101EIW50R01	10.1	1024*600	235.0*143.0*5.2	222.72X125.28	IPS+CTP, 16.7M, NORMALLY WHITE	RGB	40PIN, L=55.0mm	370CD/M2
60	T101FTN50R01	10.1	1024*600	235.0*143.0*2.8	222.72X125.28	TN, 16.7M, NORMALLY WHITE	RGB	50PIN, L=61.0mm	180CD/M2
61	T116ATN30E01	11.6	1920*1080	267.9*157.2*2.8	256.32*144.18	TN, 16.7M, NORMALLY BLACK	EDP	-	220CD/M2
62	T133AIN30E01	13.3	1920*1080	305.2*178.1*2.6	293.76*165.24	IPS, 16.7M, NORMALLY BLACK	EDP	-	250CD/M2
63	T133ATN30E02	13.3	1920*1080	307.6*183.05*5.5	293.76*165.24	IPS, 16.7M, NORMALLY BLACK	EDP	-	500CD/M2
64	T156AIN30E01	15.6	1920*1080	359.5*223.75*3.3	344.16*193.59	IPS, 262K, NORMALLY BLACK	EDP	-	180CD/M2
65	T156BINC30E01	15.6	1920*1080	377.3*247*6.6	344.16*193.59	IPS+CTP, 262K, NORMALLY BLACK	EDP	-	200CD/M2
66	T185AIN30L01	18.5	1366*768	430.37*254.6*11.2	409.8*230.4	IPS, 16.7M, NORMALLY BLACK	LVDS	-	800CD/M2
67	T185BINC30L01	18.5	1366*768	430.37*254.6*11.2	409.8*230.4	IPS+CTP, 16.7M, NORMALLY BLACK	LVDS	-	240CD/M2
68	T215AIN30L01	21.5	1920*1080	495.6*292.2*10.62	476.64*268.11	IPS, 16.7M, NORMALLY WHITE	LVDS	-	250CD/M2
69	T215BINC30L01	21.5	1920*1080	525*312*11.28	476.05*267.95	IPS+CTP, 16.7M, NORMALLY WHITE	LVDS	-	440CD/M2
70	T238AIN30L01	23.8	1920*1080	543*317.4*11.2	527.04*296.46	IPS, 16.7M, NORMALLY BLACK	LVDS	-	250CD/M2
71	T315AIN45L01	31.5	1920*1080			IPS+CTP, 16.7M, NORMALLY WHITE	LVDS		350CD/M2